

# COVID-19 vaccination A guide for older adults

This leaflet explains about the COVID-19 vaccination, who is eligible and who needs to have the vaccine to protect them from Coronavirus.

**COVID-19 immunisation** 

Protect yourself

Large print version

NHS

### COVID-19 vaccination A guide for older adults

This leaflet explains about the COVID-19 vaccination, who is eligible and who needs to have the vaccine to protect them from Coronavirus.

A leaflet from Public Health England and the NHS.

**COVID-19 immunisation – Protect yourself.** 

#### Contents

What is COVID-19 or Coronavirus?	2
About the types of vaccine	2
Who should have the COVID-19 vaccines?	3
Am I at increased risk from COVID-19 infection?	3
Who cannot have the vaccine?	5
Will the vaccine protect me?	5
Will the vaccine have side effects?	6
I have had my flu vaccine, do I need the COVID-19 vaccine as well?	7
Can I catch COVID-19 from the vaccine?	7
What do I do next?	8
What should I do if I am not well when it is my next appointment?	9
Can I give COVID-19 to anyone, after I have had the vaccine?	9

#### What is COVID-19 or Coronavirus?

COVID-19 is caused by a new coronavirus, known as SARS-CoV-2. It was first identified in late 2019. It is very infectious and can lead to severe respiratory disease.

Many people who are infected may not have any symptoms or only have mild symptoms. These commonly start with cough, fever, headache and loss of taste or smell.

Some people will feel very tired, have aching muscles, diarrhoea and vomiting, fever and confusion. A small number of people then go on to have severe disease which may require hospitalisation or admission to intensive care.

There is no cure for COVID-19 although some newly tested treatments do help to reduce the risk of complications.

Overall fewer than 1 in 100 people who are infected will die from COVID-19, but in those over 75 years of age this rises to 1 in 10.

#### About the types of vaccine

In the UK, there are two types of vaccine currently approved. Other types of vaccine are expected to be approved during 2021.

#### Who should have the COVID-19 vaccines?

The Joint Committee on Vaccination and Immunisation (JCVI), an independent expert group, has recommended that the NHS offers these vaccines first to those at highest risk of catching the infection and of suffering serious complications if they catch the infection.

This includes older adults, frontline health and social care workers, care home residents and staff, and those with certain clinical conditions. When more vaccine becomes available, the vaccines will be offered to other people at risk as soon as possible.

### Am I at increased risk from COVID-19 infection?

Coronavirus can affect anyone. If you are an older adult and have a long-term health condition, COVID-19 can be very serious and in some cases fatal.

#### You should have the COVID-19 vaccine if you are:

- an adult living or working in a care home for the elderly
- a frontline healthcare worker
- a frontline social care worker
- a carer working in domiciliary care looking after older adults
- aged 65 years and over
- younger adults with long-term clinical conditions listed in the next section

### The vaccine will also be offered to adults with conditions such as:

- a blood cancer (such as leukaemia, lymphoma or myeloma)
- diabetes
- dementia
- a heart problem
- a chest complaint or breathing difficulties, including bronchitis, emphysema or severe asthma
- a kidney disease
- a liver disease
- lowered immunity due to disease or treatment (such as HIV infection, steroid medication, chemotherapy or radiotherapy)
- rheumatoid arthritis, lupus or psoriasis
- having had an organ transplant
- having had a stroke or a transient ischaemic attack (TIA)
- a neurological or muscle wasting condition
- a severe or profound learning disability
- a problem with your spleen, e.g sickle cell disease, or having had your spleen removed
- are seriously overweight (BMI of 40 and above)
- are severely mentally ill

All people who are in the Clinically Extremely Vulnerable group will be eligible for a COVID-19 vaccine. Whether you are offered the vaccine may depend on the severity of your condition. Your GP can advise on whether you are eligible.

#### Who cannot have the vaccine?

The vaccines do not contain living organisms, and so are safe for people with disorders of the immune system. These people may not respond so well to the vaccine. A very small number of people who are at risk of COVID-19 cannot have the vaccine – this includes people who have severe allergies.

Women of childbearing age, those who are pregnant or breastfeeding should read the detailed information on **www.nhs.uk/covidvaccination** 

#### Will the vaccine protect me?

The COVID-19 vaccination will reduce the chance of you suffering from COVID-19 disease. It may take a week or two for your body to build up some protection from the first dose of vaccine.

The vaccine has been shown to be effective and no safety concerns were seen in studies of more than 20,000 people. Like all medicines, no vaccine is completely effective – some people may still get COVID-19 despite having a vaccination, but this should be less severe.

#### Will the vaccine have side effects?

Like all medicines, vaccines can cause side effects. Most of these are mild and short- term, and not everyone gets them. Even if you do have symptoms after the first dose, you still need to have the second dose. Although you should get good protection from the first dose, having the second dose should give you longer lasting protection against the virus.

#### Very common side effects include:

- having a painful, heavy feeling and tenderness in the arm where you had your injection. This tends to be worst around 1–2 days after the vaccine
- feeling tired
- headache
- general aches, or mild flu like symptoms

Although feeling feverish is not uncommon for two to three days, a high temperature is unusual and may indicate you have COVID-19 or another infection. You can rest and take the normal dose of paracetamol (follow the advice in the packaging) to help you feel better. Symptoms following vaccination normally last less than a week. If your symptoms seem to get worse or if you are concerned, contact NHS 111.

```
Call 111
Online www.111.nhs.uk
Textphone 18001 111
NHS British Sign Language Interpreter service
nhs.uk/111
```

If you do seek advice from a doctor or nurse, make sure you tell them about your vaccination (show them the vaccination card if possible) so that they can assess you properly.

You can also report suspected side effects to vaccines and medicines through the Yellow Card scheme which we tell you about later in this leaflet.

If you are currently in the clinically extremely vulnerable group, please continue to follow the government guidance.

## I have had my flu vaccine, do I need the COVID-19 vaccine as well?

The flu vaccine does not protect you from COVID-19. As you are eligible for both vaccines you should have them both, but normally separated by at least a week.

#### Can I catch COVID-19 from the vaccine?

You cannot catch COVID-19 from the vaccine but it is possible to have caught COVID-19 and not realise you have the symptoms until after your vaccination appointment. The most important symptoms of COVID-19 are recent onset of any of the following:

- a new continuous cough
- a high temperature
- a loss of, or change in, your normal sense of taste or smell

If you have the symptoms above, stay at home and arrange to have a test.

If you need more information on symptoms visit www.nhs.uk/conditions/coronavirus-COVID-19/ symptoms

#### What do I do next?

After you have had the first dose you need to plan to attend your second appointment. You should have a record card and your next appointment should be between 3 and 12 weeks later.

Although the first dose will give you good protection, you need the second dose to get longer lasting protection.

Keep your card safe and make sure you keep your next appointment to get your second dose.

## What should I do if I am not well when it is my next appointment?

If you are unwell, it is better to wait until you have recovered to have your vaccine, but you should try to have it as soon as possible. You should not attend a vaccine appointment if you are self-isolating, waiting for a COVID-19 test or unsure if you are fit and well.

## Can I give COVID-19 to anyone, after I have had the vaccine?

The vaccine cannot give you COVID-19 infection, and two doses will reduce your chance of becoming seriously ill. We do not yet know whether it will stop you from catching and passing on the virus. So, it is important to follow the guidance in your local area to protect those around you.

To protect yourself and your family, friends and colleagues you still need to:

- practise social distancing
- wear a face mask
- wash your hands carefully and frequently
- follow the current guidance www.gov.uk/coronavirus

Please read the product information leaflet for more details on your vaccine, including possible side effects, by searching **Coronavirus Yellow Card** or using the QR code at the end of this leaflet.

You can also report suspected side effects on the same website or by downloading the Yellow Card app at

coronavirus-yellowcard.mhra.gov.uk

#### Remember

COVID-19 is spread through droplets breathed out from the nose or mouth, particularly when speaking or coughing. It can also be picked up by touching your eyes, nose and mouth after contact with contaminated objects and surfaces.

#### **Coronavirus Yellow Card App**

To download the Yellow Card app search Yellow Card app or use the QR code:



coronavirus-yellowcard.mhra.gov.uk

Vaccination, helping to protect those most vulnerable.

If you need more information on the COVID-19 vaccination please visit **www.nhs.uk/covidvaccination** 

© Crown copyright 2020 Product code COV2020351V2LP DEC (APS) 2020 Public Health England Gateway number 2020381

You can order more of these free leaflets at **www.healthpublications.gov.uk**